

## Pharmacy Prior Approval Request for Nexletol and Nexlizet

Beneficiary Information 1. Beneficiary Last Name: \_\_\_\_\_\_2. First Name: \_\_\_\_\_ 3. Beneficiary ID #: \_\_\_\_\_\_\_4. Beneficiary Date of Birth: \_\_\_\_\_\_5. Beneficiary Gender: \_\_\_\_\_ Prescriber Information 6. Prescribing Provider NPI #: 7. Requester Contact Information - Name: \_\_\_\_\_ Phone #: \_\_\_\_ Ext. \_\_\_\_ Drug Information 8. Drug Name: \_\_\_\_\_\_ 9. Strength: \_\_\_\_\_ 10. Quantity Per 30 Days: \_\_\_\_\_ 11. Length of Therapy (in days): ☐ up to 30 Days ☐ 60 Days ☐ 90 Days ☐ 120 Days ☐ 180 Days ☐ 365 Days Clinical Information Criteria for Initial Coverage of Nexletol (questions 1-5) and Nexlizet (questions 1-7) 1. Is the recipient at least 18 years old or older? ☐ Yes ☐ No 2. Has the beneficiary been diagnosed with heterozygous familial hypercholesterolemia (HeFH) or established atherosclerotic cardiovascular disease (ASCVD) defined as acute coronary syndromes, or a history of myocardial infarction, stable or unstable angina, coronary or other arterial revascularization, stroke, transient ischemic attack, or peripheral arterial disease of atherosclerotic origin? ☐ Yes ☐ No 3. Has the beneficiary failed to achieve a target LDL-C (at least 50% reduction from baseline OR if no baseline is available: <70 mg/dL for beneficiaries with ASCVD and <100 mg /dL for beneficiaries with HeFH, and no history of ASCVD) despite physician attestation that the beneficiary is adherent to maximally-tolerated doses of statins for at least 90 days duration prior to the lipid panel demonstrating suboptimal reduction? ☐ Yes ☐ No 4. Is therapy being used in conjunction with maximally-tolerated doses of a statin? ☐ Yes ☐ No 5. Will therapy **NOT** be used with concurrent doses of simvastatin > 20gm or pravastatin > 40mg? ☐ **Yes** ☐ **No** For Nexlizet answer 1-5 above and 6-7 below. 6. For **NEXLIZET**- Does the beneficiary have a hypersensitivity to ezetimibe (Zetia®)? □ **Yes** □ **No** 7. Will **NEXLIZET** be used with concurrent fibrate therapy (excluding fenofibrate)?  $\square$  **Yes**  $\square$  **No Continuation of Coverage for Nexletol and Nexlizet** 8. Does the beneficiary continue to meet initial criteria above?  $\square$  **Yes**  $\square$  **No** 9. Is the beneficiary absent of unacceptable toxicity from therapy. (Examples of unacceptable toxicity include the following: hyperuricemia, tendon rupture)? ☐ Yes ☐ No 10. Does laboratory analysis demonstrate a reduction in LDL-C when compared to the baseline values (prior to initiating bempedoic acid or bempedoic acid/ezetimibe)? ☐ Yes ☐ No Signature of Prescriber:

(Prescriber Signature Mandatory)

I certify that the information provided is accurate and complete to the best of my knowledge, and I understand that any falsification, omission, or concealment of material fact may subject me to civil or criminal liability.