

Pharmacy Prior Approval Request for Viekira Pak

Member Information				
1. Member Last Name:		2. First Name:		
3. Member ID #:	4. Member Date of Birth:5. Member Gender:			
Prescriber Information				
6. Prescribing Provider NPI #:				
				Ext
Drug Information				
8. Drug Name:		9. Strength:		_ 10. Quantity Per 30 Days: <u>112</u>
11. Length of Therapy (in days): 🛛 12				
Clinical Information				
Total Length of Therapy (Check ONE):			
□ 12 weeks = Genotype 1a, witho	out cirrhosi	is, or genotype 1b,	with cirrhosis	
24 weeks = Genotype 1a, with a	compensat	ted cirrhosis		
1. Is the Member 18 years of age or	older with	a diagnosis of chr	onic hepatitis (C (CHC) infection with
confirmed genotype 1 b without c	irrhosis or	with compensate	d cirrhosis or co	onfirmed genotype 1a
without cirrhosis or with compens	sated cirrho	osis in combinatio	n with ribavirin	? □ Yes □ No
Genotype is:				
2. For all treatment courses except g	genotype 1	b (without cirrhos	is), will treatm	ent include the use of ribavirin?
🗆 Yes 🗆 No				
3. Have medical records documentir submitted?	ng the diag	nosis of chronic he	epatitis C with	genotype and subtype been
Yes INO **Lab test results M	UST be att	ached to the PA to	be approved.	**
	•			t was tested within the past 6 months
(medical documentation required)?				
 As the provider, are you reasonab Yes No 	oly certain t	that treatment wil	l improve the N	Vember's overall health status?
6. Has the provider assessed for labo	oratory and	d clinical evidence	of hepatic dec	ompensation? 🗆 Yes 🗆 No
7. Does the Member have cirrhosis?	' 🗆 Yes 🗆 I	No If answer is yes	, please answe	r the following:
7a. Is the Member being monito	red for clir	nical signs and sym	ptoms of hepa	tic decompensation (such as ascites,
hepatic encephalopathy, va	ariceal hem	norrhage)? 🗆 Yes	□ No	
7b. Has the Member received he	epatic labo	ratory testing incl	uding direct bil	irubin levels at baseline and during the
first four weeks of starting treatmen	nt and as cl	inically indicated?	🗆 Yes 🗆 No	
				Continued on next page

Fax all form/lab work to: (833) 404-2393

Pharmacy PA Call Center: (833) 585-4309



8. Is Viekira Pak being used in combination with other protease inhibitors used to treat CHC (i.e. boceprevir, simeprevir, or telaprevir) or in combination with another nucleotide NS5B polymerase inhibitor such as Sovaldi[®] (sofosbuvir)? □ Yes □ No
9. Is the Member using Viekira Pak in combination with another NS5A inhibitor? □ Yes □ No
10. Is the Member requesting the regimen for re-treatment and either failed to achieve a SVR (defined as a lower limit HCV RNA of 25 IU/mL) or relapsed after achieving a SVR during a prior successfully completed treatment regimen consisting of Sofosbuvir? □ Yes □ No
11. Is the Member requesting the regimen for re-treatment and either failed to achieve a SVR (defined as a lower limit HCV RNA of 25 IU/mL) or relapsed after achieving a SVR during a prior successfully completed treatment regimen consisting of Ledipasvir? □ Yes □ No
12. Does the Member have decompensated liver disease as defined by Child-Pugh classification score of Child Class B or C (VIEKIRA PAK[™] is contraindicated in beneficiaries with moderate to severe hepatic impairment (Child-Pugh B and C)? □ Yes □ No
13. Has the Member attempted a previous course of therapy with Viekira Pak? □ Yes □ No
14. Does the Member have any FDA labeled contraindications to Viekira Pak? □ Yes □ No

Signature of Prescriber: _

_ Date: _

(Prescriber Signature Mandatory)

I certify that the information provided is accurate and complete to the best of my knowledge, and I understand that any falsification, omission, or concealment of material fact may subject me to civil or criminal liability.