

Payment Policy: Physician's Office Lab Testing

Reference Number: NC.CC.PP.055 Product Types: ALL Date of Last Revision: 04/19/22

Coding Implications Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

Policy Overview

To ensure higher quality laboratory tests are performed in the correct setting, the health plan will limit the performance of in-office laboratory testing to the CPT® and HCPCS codes listed in the Short Turnaround Time (STAT) laboratory (lab) code list included in this policy.

The purpose of this policy is to define payment criteria for in-office laboratory procedures to be used in making payment decisions and administering benefits. Furthermore, to encourage the specialization of independent labs to ensure higher quality laboratory tests are performed in the appropriate setting.

Application

Physicians and other qualified health professionals

Policy Description

During the course of a physician or other qualified health professional's face-to-face encounter with a patient, the provider may determine that diagnostic lab testing is necessary to establish a diagnosis and/or to select the best treatment option to manage the patient's care. These are tests that are needed immediately in order to manage medical emergencies or urgent conditions. To this end, specific clinical laboratory tests have been designated as appropriate to be performed in the office setting.

Reimbursement

Reimbursement for in-office laboratory procedures is limited to those codes listed in the STAT laboratory procedure code list (see the *Coding and Modifier Information*) section below. Laboratory procedures not included on the STAT lab list may not be performed in the office and should be referred to an independent, contracted lab provider.

Utilization

The health plan's automated claims adjudication system will deny in-office (location 11) laboratory procedures that are not included on the STAT lab list defined below.

Documentation Requirements

Not Applicable.

Coding and Modifier Information

This payment policy references Current Procedural Terminology (CPT[®]). CPT[®] is a registered trademark of the American Medical Association. All CPT[®] codes and descriptions are copyrighted 2020, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this payment



policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

CPT-	Descriptor	
HCPCS		
Code		
0202U	Infectious disease (bacterial or viral respiratory tract infection), pathogen-specific nucleic acid (DNA or RNA), 22 targets including severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), qualitative RT-PCR, nasopharyngeal swab, each pathogen reported as detected or not detected	
0223U	Infectious disease (bacterial or viral respiratory tract infection), pathogen-specific nucleic acid (DNA or RNA), 22 targets including severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), qualitative RT-PCR, nasopharyngeal swab, each pathogen reported as detected or not detected	
0224U	Antibody, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), includes titer(s), when performed	
0225U	Infectious disease (bacterial or viral respiratory tract infection) pathogen-specific DNA and RNA, 21 targets, SARS-CoV-2, amplified probe technique, including multiplex reverse transcription for RNA targets, each analyte reported as detected or not detected	
0226U	Surrogate viral neutralization test, severe acute respiratory	
80048	Basic Metabolic Panel	
80050	General Health Panel is composed of metabolic panel, a complete blood count and a TSH level	
80053	Comprehensive Metabolic Panel	
80061	Lipid panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)	
80305	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; capable of being read by direct optical observation only (eg, dipsticks, cups, cards, cartridges) includes sample validation when performed, per date of service	
80306	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures (eg, immunoassay); read by instrument assisted direct optical observation (eg, dipsticks, cups, cards, cartridges), includes sample validation when performed, per date of service	
80307	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	
80324	Amphetamines; 1 or 2	
80325	Amphetamines; 3 or 4	



CPT-	Descriptor
HCPCS	
Code	
80326	Amphetamines; 5 or more
80327	Anabolic steroids; 1 or 2
80328	Anabolic steroids; 3 or more
80329	Analgesics, non-opioid; 1 or 2
80330	Analgesics, non-opioid; 3-5
80331	Analgesics, non-opioid; 6 or more
80332	Antidepressants, serotonergic class; 1 or 2
80333	Antidepressants, serotonergic class; 3-5
80334	Antidepressants, serotonergic class; 6 or more
80335	Antidepressants, tricyclic and other cyclicals; 1 or 2
80336	Antidepressants, tricyclic and other cyclicals; 3-5
80337	Antidepressants, tricyclic and other cyclicals; 6 or more
80338	Antidepressants, not otherwise specified
80339	Antiepileptics, not otherwise specified; 1-3
80340	Antiepileptics, not otherwise specified; 4-6
80341	Antiepileptics, not otherwise specified; 7 or more
80342	Antipsychotics, not otherwise specified; 1-3
80343	Antipsychotics, not otherwise specified; 4-6
80344	Antipsychotics, not otherwise specified; 7 or more
80345	Barbiturates
80346	Benzodiazepines; 1-12
80347	Benzodiazepines; 13 or more
80348	Buprenorphine
80349	Cannabinoids, natural
80350	Cannabinoids, synthetic; 1-3
80351	Cannabinoids, synthetic; 4-6
80352	Cannabinoids, synthetic; 7 or more
80353	Cocaine
80354	Fentanyl
80355	Gabapentin, non-blood
80356	Heroin metabolite
80357	Ketamine and norketamine
80358	Methadone
80359	Methylenedioxyamphetamines (MDA, MDEA, MDMA
80360	Methylphenidate
80361	Opiates, 1 or more
80362	Opioids and opiate analogs; 1 or 2
80363	Opioids and Opiate analogs; 3 or 4
80364	Opioids and Opiate analogs; 5 or more
80365	Oxycodone
80366	Pregabalin
80367	Propoxyphene



CPT-	Descriptor
HCPCS	
Code	
80368	Sedative hypnotics (non-benzodiazepines
80369	Skeletal muscle relaxants; 1 or 2
80370	Skeletal muscle relaxants; 3 or more
80371	Stimulants, synthetic
80372	Tapentadol
80373	Tramadol
80374	Stereoisomer (enantiomer) analysis, single drug class
80375	Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 1-3
80376	Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 4-6
80377	Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 7 or more
83992	Phencyclidine (PCP)
81000	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, with microscopy
81001	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, with microscopy
81002	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, without microscopy
81003	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy
81005	Urinalysis; qualitative or semiquantitative, except immunoassays
81015	Urinalysis; microscopic only
81025	Urine pregnancy test, by visual color comparison methods
82043	Albumin; urine, microalbumin, quantitative
82044	82044Albumin; urine, microalbumin, semiquantitative (eg, reagent strip assay)
82247	Bilirubin; total
82248	Bilirubin; direct
82270	Blood, occult, by peroxidase activity (eg, guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (ie, patient was provided 3 cards or single triple card for consecutive collection)
82271	Blood, occult, by peroxidase activity (eg, guaiac), qualitative; other sources
82272	Blood, occult, by peroxidase activity (eg, guaiac), qualitative, feces, 1-3 simultaneous determinations, performed for other than colorectal neoplasm screening
82465	Cholesterol, serum or whole blood, total
82565	Creatinine; blood



CPT-	Descriptor
HCPCS	
Code	
82731	Fetal fibronectin, cervicovaginal secretions, semi-quantitative
82947	Glucose; quantitative, blood (except reagent strip)
82948	Glucose; blood, reagent strip
82950	Glucose; post glucose dose (includes glucose)
82951	Glucose; tolerance test (GTT), 3 specimens (includes glucose)
82952	Glucose; tolerance test, each additional beyond 3 specimens (List separately in
	addition to code for primary procedure)
82962	Glucose, blood by glucose monitoring device(s) cleared by the FDA specifically
	for home use
83036	Hemoglobin; glycosylated (A1C)
83037	Hemoglobin; glycosylated (A1C) by device cleared by FDA for home use
83655	Lead
83718	Lipoprotein, direct measurement
83986	pH; body fluid, not otherwise specified
84132	Potassium; serum, plasma or whole blood
84443	Thyroid Stimulating Hormone (TSH)
84703	Gonadotropin, chorionic (hCG); qualitative
85013	Blood count; spun microhematocrit
85014	Blood count; hematocrit (Hct)
85018	Blood count; hemoglobin (Hgb)
85025	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet
	count) and automated differential WBC count
85027	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet
	count
85049	Blood count; platelet, automated
85610	Prothrombin time
85651	Sedimentation rate, erythrocyte; non-automated
86308	Heterophile antibodies; screening
86318	Immunoassay for infectious agent antibody(ies) and to be a parent to 86328
86328	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus
	disease [COVID-19]
86408	Neutralizing antibody, SARS-CoV-2 (COVID-19); screen
86409	Neutralizing antibody, SARS-CoV-2 (COVID-19); Titer
86580	Skin test; tuberculosis, intradermal
86756	Antibody; respiratory syncytial virus
86769	Antibody; severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)
	(Coronavirus disease [COVID-19])
87070	Culture, bacterial; any other source except urine, blood or stool, aerobic, with
	isolation and presumptive identification of isolates
87081	Culture, presumptive, pathogenic organisms, screening only;
87086	Culture, bacterial; quantitative colony count, urine
87172	87172Pinworm exam (eg, cellophane tape prep



CPT-	Descriptor
HCPCS	
Code 87205	87205Smear, primary source with interpretation; Gram or Giemsa stain for
	bacteria, fungi, or cell types
87210	Smear, primary source with interpretation; wet mount for infectious agents (e.g., saline, India ink, KOH preps)
87220	Tissue examination by KOH slide of samples from skin, hair, or nails for fungi or ectoparasite ova or mites (e.g., scabies)
87270	Infectious angent detection, by immunofluorescent technique, chlamydia trachomatis
87301	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; adenovirus enteric types 40/41
87400	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Influenza, A or B, each
87425	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; rotavirus
87426	severe acute respiratory syndromecoronavirus (eg, SARS-CoV, SARS-CoV-2 [COVID-19])
87428	Severe acute respiratory syndrome coronavirus (eg, SARS-CoV, SARS-CoV-2 [COVID-19]) and influenza virus types A and B
87430	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Streptococcus, group A
87490	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, direct probe technique
87491	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique
87492	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, quantification
87502	Infectious agent detection by nucleic acid (DNA or RNA); influenza virus, for multiple types or sub-types, includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, first 2 types or sub-types
87633	Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (e.g., adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets



CPT-	Descriptor
HCPCS	
Code	
87634	Infectious agent detection by nucleic acid (DNA or RNA); respiratory syncytial
	virus, amplified probe technique
87635	- Infectious agent detection by nucleic acid (DNA or RNA); severe acute
	respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease
	[COVID-19]), amplified probe technique
87636	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory
	syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) and
	influenza virus types A and B, multiplex amplified probe technique.
87637	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory
	syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]),
	influenza virus types A and B, and respiratory syncytial virus, multiplex amplified
05451	probe technique.
87651	Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group
07700	A, amplified probe technique
87798	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise
07000	specified; amplified probe technique, each organism
87802	Infectious agent antigen detection by immunoassay with direct optical
07002	observation; Streptococcus, group B
87803	Infectious agent antigen detection by immunoassay with direct optical
87804	observation; Clostridium difficile toxin A Infectious agent antigen detection by immunoassay with direct optical
0/004	observation; Influenza
87806	Infectious agent antigen detection by immunoassay with direct optical
87800	observation; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies
87807	Infectious agent antigen detection by immunoassay with direct optical
07007	observation; respiratory syncytial virus
87808	Infectious agent antigen detection by immunoassay with direct optical
0,000	observation; Trichomonas vaginalis
87811	Infectious agent antigen detection by immunoassay with direct optical (i.e., visual)
	observation; severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)
	(Coronavirus disease [COVID-19]).
87880	Infectious agent antigen detection by immunoassay with direct optical
	observation; Streptococcus, group A
87905	Infectious agent enzymatic activity other than virus (eg, sialidase activity in
	vaginal fluid)
C9803	Hospital outpatient clinic visit specimen collection for severe acute respiratory
	syndrome coronavirus 2 (SARS-CoV-2)
G0480	Drug test(s), definitive, utilizing (1) drug identification methods able to identify
	individual drugs and distinguish between structural isomers (but not necessarily
	stereoisomers), including, but not limited to GC/MS (any type, single or tandem)
	and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA,
	EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol
	dehydrogenase)), (2) stable isotope or other universally recognized internal



CPT-	Descriptor
HCPCS	
Code	
	standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed
G0481	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 8-14 drug class(es), including metabolite(s) if performed
G0659	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem), excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase), performed without method or drug-specific calibration, without matrix-matched quality control material, or without use of stable isotope or other universally recognized internal standard(s) for each drug, drug metabolite or drug class per specimen; qualitative or quantitative, all sources, includes specimen validity testing, per day, any number of drug classes
G2023	Specimen collection for severe acute respiratory syndrome coronavirus 2 (sars- cov-2) (coronavirus disease [covid-19]), any specimen source
G2024	Specimen collection for severe acute respiratory syndrome coronavirus 2 (sars- cov-2) (coronavirus disease [covid-19]) from an individual in a snf or by a laboratory on behalf of a hha, any specimen source
Q0111	Wet mounts, including preparations of vaginal, cervical or skin specimens
Q0112	All potassium hydroxide (koh) preparations
U0001	2019 Novel Coronavirus (2019-nCoV) Real-Time RT-PCR Diagnostic Panel should be used when specimens are sent to the CDC and CDC-approved local/state health department laboratories
U0002	2019-nCoV Coronavirus, SARS-CoV-2/2019-nCoV (COVID-19), any technique, multiple types or subtypes (includes all targets), non-CDC should be used when specimens are sent to commercial laboratories, e.g. Quest or LabCorp, and not to the CDC or CDC-approved local/state health department laboratories.
U0003	2019-ncov coronavirus, sars-cov-2/2019-ncov (covid-19), any technique, multiple types or subtypes (includes all targets), non-cdc



CPT- HCPCS Code	Descriptor
U0004	2019-nCoV Coronavirus, SARS-CoV-2/2019-nCoV (COVID-19), any technique, multiple types or subtypes (includes all targets), non-CDC, making use of high throughput technologies

Modifier	Descriptor
NA	Not Applicable

ICD-10 Codes	Descriptor
NA	Not Applicable

Definitions

Short Turnaround Time Lab Procedure

Laboratory tests and services that are needed immediately in order to manage urgent or emergent medical situations.

Independent Laboratory

A laboratory that is independent of an attending or consulting physician's office and of hospital

Contracted Laboratory Provider

A provider that has entered into an agreement with the health plan to provide laboratory services at a reduced rate to the insurer's or administrator's clients.

Additional Information

Not Applicable

Related Documents or Resources

Not Applicable

References

1. Current Procedural Terminology (CPT)®, 2020

2. HCPCS Level II, 2020

Revision History	
08/12/2017	Initial Policy Draft
10/4/2017	Added the following allowable codes : 87490,87491,87492,84132,82565
04/24/2019	Conducted review and updated policy
11/7/2019	Removed G0482 and G0483; Added 87400, 87430 and 87806
04/14/2020	Added U0001, U0002, 87635, 86328 and 86769 for COVID-19 crisis
10/20/2020	Added U0003, U0004, C9803, G2023, G2024,0202U,0223U, 0224U,
	87426 for Covid-19



12/26/2020	Added additional codes for Covid -19 : 0225U, 0226U, 86318, 86408,
	86409, 87301, 87428
7/1/2021	Added additional codes: 80048, 80053, 84443
10/26/21	Added additional codes: 80061, 82248, 87081, 87086, 87425, 87502,
	87634, 87651
4/19/22	Added additional codes: 80050, 83718, 87633, 87636, 87637, 87798
	87811

Important Reminder

For the purposes of this payment policy, "Health Plan" means a health plan that has adopted this payment policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any other of such health plan's affiliates, as applicable.

The purpose of this payment policy is to provide a guide to payment, which is a component of the guidelines used to assist in making coverage and payment determinations and administering benefits. It does not constitute a contract or guarantee, regarding payment or results. Coverage and payment determinations and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable plan-level administrative policies and procedures.

This payment policy is effective as of the date determined by Health Plan. The date of posting may not be the effective date of this payment policy. This payment policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this payment policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. Health Plan retains the right to change, amend or withdraw this payment policy, and additional payment policies may be developed and adopted as needed, at any time.

This payment policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This payment policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this policy are independent contractors who exercise independent judgment and over whom Health Plan has no control or right of control. Providers are not agents or employees of Health Plan.

This payment policy is the property of Centene Corporation. Unauthorized copying, use, and distribution of this payment policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.



Note: For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this payment policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this payment policy.

Note: For Medicare members, to ensure consistency with the Medicare National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), all applicable NCDs and LCDs should be reviewed <u>prior to</u> applying the criteria set forth in this payment policy. Refer to the CMS website at <u>http://www.cms.gov</u> for additional information.

©2019 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation.