

# HEDIS® Pediatric Pocket Guide: 2025 Measurement Year

For a complete list of codes, please visit the NCQA website at [ncqa.org](https://www.ncqa.org), or see the HEDIS value sets. The following is a subset only of the NCQA approved codes.

## All Well-Child Visits

**Must include the following:** Documentation of a visit with an acceptable provider type, the date of the visit, and services to validate a well-child visit was performed.

Measure	Best Practice	Codes
<b>(W30) Well-Child Visits in the First 30 Months of Life (0–30 months)</b> <sup>1,2</sup>	<p><b>Well-Child Visits in the First 15 Months.</b> For children who turned 15 months old during the measurement year: Six or more well-child visits.</p> <p><b>Well-Child Visits for 15–30 Months of Age.</b> For children who turned 30 months of age during the measurement year: Two or more well-child visits.</p>	99381, 99382, 99391, 99392, 99461, G0438, G0439, S0302, Z00.110, Z00.111, Z00.121, Z00.129
<b>(WCV) Child and Adolescent Well-Care Visits (3–21 years of age)</b> <sup>1,2</sup>	One or more comprehensive well-care visits with a PCP or OB/GYN within the measurement year. Visits occurring anytime in the measurement year, including prior to or after the patient's birthday, close the gap.	99382–99385, 99391–99395, G0438, G0439, S0302, S0610, S0612, S0613, Z00.00, Z00.01, Z00.121, Z00.129, Z00.2, Z00.3, Z01.411, Z01.419, Z02.5, Z76.2

## Respiratory Conditions

Measure	Best Practice	Codes
<b>(CWP) Appropriate Testing for Pharyngitis</b> <sup>1,2</sup>	<p>Episodes for members <b>3 years of age and older</b> where the member is:</p> <ul style="list-style-type: none"> <li>• Diagnosed with pharyngitis</li> <li>• Dispensed an antibiotic</li> <li>• <b>Received a group A strep test</b></li> </ul> <p><b>Note:</b> Test for Group A Strep before dispensing an antibiotic.</p>	<p><b>Group A Strep Test:</b> 87070, 87071, 87081, 87430, 87650–87652, 87880</p> <p><b>Pharyngitis:</b> J02.0, J02.8, J02.9, J03.00, J03.01, J03.80, J03.81, J03.90, J03.91</p>

## Weight Assessment and Counseling for Nutrition & Physical Activity

Measure	Best Practice	Codes
<b>(WCC) Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (3–17 years of age)</b> <sup>1,2</sup>	Visit with PCP or OB/GYN in measurement year with documentation of or claim for discussion of BMI percentile, AND nutrition and diet, AND physical activity.	<p>BMI: Z68.51, Z68.52, Z68.53, Z68.54</p> <p>Nut: 97802–97804, G0270, G0271, G0447, S9449, S9452, S9470</p> <p>PA: G0447, S9451, Z02.5, Z71.82</p>

### Lines of Business:

<sup>1</sup>Medicaid

<sup>2</sup>Marketplace



HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

[network.carolinacompletehealth.com](https://www.network.carolinacompletehealth.com)

[www.ambetterofnorthcarolina.com](https://www.ambetterofnorthcarolina.com)

Carolina Complete Health and Ambetter are affiliated products serving Medicaid and Health Insurance Marketplace members, respectively. The information presented here is representative of our network of products.



 Immunizations		
Measure	Best Practice	Codes
<b>(CIS-E) Childhood Immunizations<sup>1,2</sup></b> (Completed on or before the 2nd birthday)	DTaP – 4 Doses	90697, 90698, 90700, 90723
	PCV – 4 Doses	90670, 90671, G0009
	IPV – 3 Doses	90697, 90698, 90713, 90723
	HiB – 3 Doses	90644, 90647, 90648, 90697, 90698, 90748
	Hep B – 3 Doses	90697, 90723, 90740, 90744, 90747, 90748, G0010
	RV – 2 or 3 Doses	2 Doses: 90681 3 Doses: 90680
	Flu – 2 Doses (LAIV meets criteria for one of the two required vaccinations if administered on the 2nd birthday)	90655, 90657, 90660, 90661, 90672–90674, 90685–90689, 90756
	VZV – 1 Dose	90710, 90716
	MMR – 1 Dose	90707, 90710
	Hep A – 1 Dose	90633
<b>(IMA-E) Immunizations for Adolescents<sup>1,2</sup></b> (Completed on or before the 13th birthday)	Meningococcal – 1 Dose	90619, 90623, 90733, 90734
	Tdap – 1 Dose	90715
	HPV – 2 or 3 Doses	90649–90651
 Lead Screening		
Measure	Best Practice	Codes
<b>(LSC) Lead Screening in Children<sup>1</sup></b>	Percentage of children who had one or more capillary or venous lead blood tests by their 2nd birthday. At least one lead screening result documented by age 2.	83655